RESOLUTION NO. 2022 - 3996

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF MIAMI SPRINGS, FLORIDA, APPROVING THE PURCHASE AND INSTALLATION OF WHISPERWAVE ACOUSTICAL FOAM PANELS FOR THE ADULT COMMUNITY CENTER FROM AMION ENTERPRISES INTERNATIONAL CORP. IN AN AMOUNT \$12,860.80; PROVIDING NOT TO EXCEED **AUTHORIZATION: AND PROVIDING FOR AN EFFECTIVE** DATE.

WHEREAS, the City of Miami Springs (the "City") desires to purchase and install Whisperwave Acoustical Foam Panels for the City's Adult Community Center (the "Services"); and

WHEREAS, in accordance with Section 31-11(c)(2) of the City's Code of Ordinances (the "Code"), the City requested three quotes to purchase the Services, anticipating that the good faith estimate total cost would not exceed \$25,000; and

WHEREAS, Amion Enterprises International Corp. (the "Contractor") submitted the lowest quote in the amount of \$12,860.80 for the Services, a copy of which is attached hereto as Exhibit "A" (the "Quote"); and

WHEREAS, pursuant to the procurement process and the recommendation of the City Manager, the City Council desires to approve the purchase of the Services from the Vendor consistent with the Quote in an amount not to exceed \$12,860.80 pursuant to Section 31-11(c)(2) of the City Code; and

WHEREAS, the City Council finds that this Resolution is in the best interest and welfare of the residents of the City.

NOW, THEREFORE, BE IT RESOLVED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF MIAMI SPRINGS, FLORIDA, AS FOLLOWS:

<u>Section 1.</u> Recitals. That the above recitals are confirmed, adopted, and incorporated herein and made a part hereof by reference.

Section 2. Approval. That the City Council hereby approves the purchase of the Services pursuant to Section 31-11(c)(2) of the City Code.

<u>Section 3.</u> <u>Authorization.</u> That the City Council hereby authorizes the City Manager to purchase the Services from the Vendor consistent with the terms and

conditions of the Quote attached hereto as Exhibit "A," and to expend budgeted funds in an amount not to exceed \$12,860.80.

Section 4. Effective Date. That this Resolution shall be effective immediately upon adoption.

The foregoing Resolution was offered by Councilman Best who moved its adoption. The motion was seconded by Vice Mayor Fajet and upon being put to a vote, the vote was as follows:

Vice Mayor Dr. Walter Fajet	<u>YES</u>
Councilman Bob Best	<u>YES</u>
Councilwoman Jacky Bravo	<u>YES</u>
Councilman Dr. Victor Vazquez	<u>YES</u>
Mayor Maria Puente Mitchell	YES

PASSED AND ADOPTED this 9th day of May, 2022.

MAYOR

ERIKA GONZALEZ CITY CLERK

APPROVED AS TO FORM AND LEGAL SUFFICIENCY FOR THE USE AND RELIANCE OF THE CITY OF MIAMI SPRINGS ONLY:

WEISS SEROTA HELFMAN COLE & BIERMAN, P.L. CITY ATTORNEY





COURTION			AMION ENTERPRISES INTERNATIONAL CON	ur' 1 ·			
COUSTICAL LOORING			LICENSED COMMERCIAL INTERIORS CONTRACTORS 13651 S. W. 143 COURT SUITE 102	Miami-	Jada	MBE certi	fied
VOOD			TELF 305 252 3967 MIAMI FL. 33186 FAX 305 378 0787			da MBE c	
.002			www.AEI@amion.org				
			PROJECT QUOTATION		Revi	ision	
Project:	_		City of Miami Springs				
Quote to:			City of Miami Springs Senior Center			Quote # :	MiamiSpringsAd
Address:			101 Apache Street, Miami Springs, FL 33166			uote date:	3/22/20
Phone number:			1017-paorie orices, imarii opringo, i 2 00100	 			0,22,20
						Page #	1 of
Il prices 30 days ne	t.	Quo	te good for 90 days ** Bonding rate 1 1/2% to 2 % Not included unless r	noted.			
			: A monthly charge of 1 1/2 % interest will be added on overdue bills.				
pecification#		ltem	Contractors License # cc 000014844	Unit	unit	cost	\$
his Quotation is tot	ally b	ased	on the notes and conditions specified below no changes are accepted unless other	wise noted			
			2 walls in Reception area, each receiving a 24" band of panels				
			Z Wallo III Neception area, each receiving a Z4 Dana of panelo				
coustical panel	s	Α	To supply/install Pinta Willtec Whisperwave foam Acoustical panels 24"x48",				
			thickness varies from 1" to 2" subject to =/- 3.5% change by volume	<u> </u>			
			Panels glued to painted walls using PA-02 adhesive.				
			Standard and premium colors quoted. Limited to one color. Location will be 2 walls adjacent to muralled walls, a single row/band of				
			2' by 100' per wall for a total of 50 panels used	400	SF	\$26.86	\$10,744.
			Leftover panels from box balance. Only full boxes can be purchased, 4/box.	16	SF	\$17.80	\$284.
						#4 000 00	#4.000
Scissorlift rental			To deliver, use and return a rental scissorlift for the installation of panels	7	lot	\$1,000.00	\$1,000.
		1	This is glued to the painted wall and should be considered a permanent				
			installation, Care will be needed during cleaning and future painting of				-
			adjacent areas.				
NOTES:		2	We will deliver a scissorlift to be used over the existing LVT flooring with the				
			expectation that the flooring, subflooring and any floor prep were properly				
			installed and can accommodate this use.	ļ			
		3	The band of panels will fall short of the muralled walls by approximately 20" on both sides as the wall is ~ 103'4" and we are installing 100'. See drawing.				
			This keeps it away from the murals.				
		4	This band will be between lowest window and vents on one wall, at one	 			
			fixed elevation with the opposing wall matching this same elevation.				
		5	We must charge for the 2 panels left over from the last box as we can				
			only purchase in sets of 4 panels. These 2 panels are quoted without				
		6	labor. If you prefer wall to wall and contact me prior to mobilization,	-			
			we can start the panels with ~44" cuts (+/- 2"), going corner-to-corner and				
-			touching the mural. As this will use up the 2 leftover panels, using 13 full boxes,				
			I will waive the labor for using those 2 panels versus creating a 2nd quote				
			for 416sf of supplied/installed panels and no leftover. We cannot				
	-		guarantee what the thickness will be where it touches the mural				
		-	so a very small portion, up to 2"x24" could be covered. We cannot exempt the sales taxes as we are purchasing and using the	 			
	_		materials however it is incorporated in the supply/install rate as Amion	+	-		
			must still pay it and I'm unsure if a municipality can show sales tax on a PO.				
		8	Amion will have to pay a 50% deposit on these goods so please make				
			certain your PO states that it is non-cancellable and non-returnable.				
				-			}
					ļ	-	
				 		·	
			1,48,				
			<u> </u>			-	
				- 			
Bonding					%	0.02	not included
Varehousing					Sq Ft		not included
				Quote tota			\$12,028.8
-				Florida Sales Taxes			\$0.0
Please proceed with	nroi:	oct	Date / /	Freight Total Cos			\$832.0 \$12,860.8
rease proceed with	ρισμ	- UL	Date 1	10101008	<u></u>		₹12,000.8
Amion Enterprises A	utho	rized	Signature		Date:		
						··········	
mportant notes:							
•							
ncluded in the above			and Local taxes, Freight to site FOB Miami, Insurance, Materials and labor for the in e described items, Minimum small holes repair, Site unloading, prices basis as per				




WHISPERWAVE™ Clouds, Baffles and Panels

Product Information







Versatile acoustic design elements, sinuous WHISPERWAVE™ suspended ceiling clouds and baffles, smooth-back, direct-apply, glue-up wall and ceiling panel products render graceful, flowing lines about interior spaces. In addition, WHISPERWAVE provides auperior abund absorption. Made from lightweight, non-fibrous, open-cell expended melamine WILLTEC™ foam, WHISPERWAVE products are readily available in a variety of standard and custom shapes, sizes, thicknesses and water-base acoustic coated color finishes.



WHISPERWAVE™ Clouds, Baffles and Panels

Product Information

Material

- Made from open-cell, natural light grey or white WILLTEC™ expanded melamine foam
- Standard water-based acoustic coating color options in arctic white, light, medium or dark grey, black and other premium or custom options are available.

Sizes

WHISPERWAVE Suspended Clouds

- Most any cloud shape and sizes up to 48" x 96" (1219 x 2184 mm)
- Offered in a variety of thicknesses, 2" and 3" (51 and 76 mm) standard options

WHISPERWAVE Suspended Baffles

- Most any baffle shape and sizes up to 48" x 96" (1219 x 2184 mm)
- M Offered in a variety of thicknesses, 2" (51 mm) standard

WHISPERWAVE Direct-Apply, Glue-up Panels

- Most any panel shape and size up to 48" x 96" (1219 x 2184 mm)
- Offered in a variety of thicknesses
- **Can be butted together to create a continuous appearance**

Installation

WHISPERWAVE Suspended Clouds

- Corkscrew hangers available for individually suspended clouds
- pinta precut T-slots available for close side-by-side, gang-suspended applications

WHISPERWAVE Suspended Baffles

- Corkscrew hangers available for individually suspended baffles
- Two to three corkscrew pieces per baffle typical according to size and orientation

WHISPERWAVE Direct-Apply, Glue-up Panels

■ Use pinta acouSTIC™ adhesive tube cartridges or pourable, roll-apply adhesive products according to specific project applications as required panel-to-substrate

Please reference the installation guide and consult pinta acoustic with any questions prior to your specific project start.

Viatorial	Company and a serious based to a
	Open-cell malamine-based foam
Density	0.5 to 0.7 lbs./cubic ft. (ASTM D3574-77)
Long-Term Service Temperature	302°F (150°C)
Flame Spread and Smoke Density	Passes Class A per ASTM E 84 (all finishes) Passes CAN UECS-102
Microbial Growth	Passes UL 181, section 11
Fungus Resistance	Rating 0 per ASTM G21
Taxisity	Passes University of Pittsburgh Toxicity of Smoke Emission test
Finishes	Natural (white or grey) or water-based acoustic coated (standard, grennlum or custer colors).

Sound Absorption—WHISPERWAVE Clouds

	Therease	Sab	S per 4	1.80	lating L	and per	5 Tra 1.4	23-07
		125Hz	250Hz	500Hz	1KHz	2KHz	4KHz	Mounting Type
Natural (white or light grey)	2" (51 mm)	5.06	22.71	47.90	72.55	73.84	85.47	J
	3" (76 mm)	14.10	34.77	79.44	88.81	92.90	100.11	J

Sound Absorption—WHISPERWAVE Baffles

		\.					3.575	
		125Hz	250Hz	500Hz	1KHz	2KHz	4KHz	Mounting Type
Natural (white or light grey)	2" (51 mm)	1.0	5.4	10.8	16.3	18.7	24.0	J

Sound Absorption—WHISPERWAVE Panels

Property.			Ī	80 10 6	NS sa	7.5.	(A)	l.	
		125Hz	250Hz	500Hz	1KHz	2KHz	4KHz	NRC	Mounting Type
Natural (white	2" (51 mm)	0.11	0.33	0.85	1.05	1.09	1.06	0.85	В
or light grey)	3" (76 mm)	0.09	0.68	1.20	1.18	1.12	1.05	1.05	Α
Water bases							• • • • • • • • • • • • • • • • • • • •		
acquistic coated	2 15 mm	0.13	0,41	1.02	1.18	1.18	1.13	0.95	- 8
(standard, premium and custom colors)	3" (76 mm)	0.13	0.85	1.25	1.22	1.13	1.14	1.1	Α .

